

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	750	(communication or network) near3 security and (failover or recovery or fault adj toleran\$2) near10 (server or processor or computer or controller or station)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 08:38
L3	550	1 and (@AD <"20010117" or @RLAD <"20010117" )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 08:37
L4	211	3 and load near2 balanc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 08:37
L5	1209	(communication or network) and (backup or failover or recovery or fault adj toleran\$2) near10 (server or processor or computer or controller or station) and (@AD <"20010117" or @RLAD <"20010117" ) and load near2 balanc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 08:39
L6	145	5 and (backup or failover or recovery or fault adj toleran\$2).ti, ab. near10 (server or processor or computer or controller or station) and load near2 balanc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 09:34
L7	71	6 and (distribut\$3 or dispatch\$3 or front-end or assign\$3) adj3 (processor or node or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 08:43
L8	13	6 and (distribut\$3 or dispatch\$3 or front-end or assign\$3) adj3 (processor or node or server) with (backup or failover or recovery or fault adj toleran\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 08:44
L9	13	6 and (distribut\$3 or dispatch\$3 or front-end or assign\$3) adj3 (processor or node or server or control\$3) with (backup or failover or recovery or fault adj toleran\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 08:46
L10	312	5 and (backup or failover or recovery or fault adj toleran\$2) near10 (server or processor or computer or controller or station) and load near2 balanc\$3 and network near3 secur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 08:46

L11	7	10 and (distribut\$3 or dispatch\$3 or front-end or assign\$3) adj3 (processor or node or server or control\$3) with (backup or failover or recovery or fault adj toleran\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 08:46
L12	18	9 or 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 08:46
L13	45	5 and (backup or failover or recovery or fault adj toleran\$2).ti, ab. with load near2 balanc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 09:35
L14	0	5 and (backup or failover or recovery or fault adj toleran\$2).ti, ab. with load near2 balancer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 09:35
L15	1	5 and (backup or failover or recovery or fault adj toleran\$2).ti, ab. with load adj balancer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 09:40
L16	8	(backup or failover or recovery or fault adj toleran\$2).ti,ab. with load adj balancer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 09:38
L17	22	(backup or failover or recovery or fault adj toleran\$2) near10 load adj balancer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 09:36
L18	14	(backup or failover or recovery or fault adj toleran\$2).ti,ab. with distribution adj (node or processor or server or controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 09:38
L19	3	(backup or failover or recovery or fault adj toleran\$2).ti,ab. with distributing adj (node or processor or server or controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 09:39
L20	2	(backup or failover or recovery or fault adj toleran\$2).ti,ab. with dispatch\$3 adj (node or processor or server or controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:35

L21	43	(15 or 16 or 17 or 18 or 19)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 09:41
L22	7	21 and ("same" or common) adj3 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 09:41
L23	7	21 and secur\$3 near3 network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 09:42
L24	11	22 or 23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 09:50
L26	8	("6822957") or ("6,658,018") or ("5968,185") or ("5,148,433") or ("6,430,6222") or ("20020133602") or ("20020133608") or ("20020016926") or ("5,754,856")).PN.	US-PGPUB; USPAT	OR	OFF	2005/04/26 10:30
L27	9	("6822957") or ("6,658,018") or ("5968,185") or ("5,148,433") or ("6,430,6222") or ("20020133602") or ("20020133608") or ("20020016926") or ("5,754,856") or ("6697857")).PN. or (2002/0046348).CCLS	US-PGPUB; USPAT	OR	OFF	2005/04/26 10:35
L28	5	27 and (backup or failover or recovery or fault adj toleran\$2) with (node or processor or server or controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:54
L29	3	27 and load near3 balanc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 10:54
L30	3	28 and 29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 11:05

L31	6	27 and ("same" or common) adj3 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 11:06
L33	2	30 and 31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 11:06